



AN ISO 9001:2008 CERTIFIED COMPANY

TECHNOMECH IMPEX

A name in quality products.....


- TRACTOR LINKAGE PARTS
- HARDWARE GOODS & FASTENERS
- LUBRICATION PRODUCTS




Tractor Linkage Parts



Linch Pins Standard & Pear Shapes
Size : 4.5mm to 12mm




A. Linch Pin Heavy Duty
Size : 4.5mm to 12mm
B. Forged Linch Pin
Size : 11mm to 16mm




A. P.T.O. Pins Round
Size : 6mm to 12mm
B. P.T.O. Pins Square
Size : 6mm to 12mm




Safety Pins
Size : 1.2mm to 8mm



A. Linch Pin With Chain
Size : 4.5mm to 12mm
B. Tube Linch Pin with Chain
Size : 6mm to 12mm



A. Spring Pin Single Spire
Size : 1mm to 10mm
B. Spring Pin Double Spire
Size : 1.4mm to 10mm



A. Bent Hitch Pins
B. Safety Hitch Pins
Size 9.5mm to 32mm



A. Tube Linch Pins
Size : 4.5mm to 12mm
B. Spring Linch Pins
Size : 8mm to 10.5mm



Lower Link Pins
Size : 16mm to 36mm



Top Link Pins
Size : 16mm to 32mm



Clevis Pins
Size : 6mm to 32mm




Hitch Pin Vnyle Handle
Size : 12mm to 32mm



Hitch Pins Folded & Fix Handle
Size : 12mm to 32mm



Pins with Different Handle
Size : 12mm to 32mm




A. Bent Handle Pins with Chain
Size : 16mm to 32mm
B. Implement Pins
Cat 1, 2, 3



Top Links Golden/Blue Painted
Cat 1,2,3

Tractor Linkage Parts



Top Links Red/Black PC
Cat 1,2,3



A Top Link Grey Colour
Cat 1,2,3
B. Top Link With Star Nut
Cat 1,2,3



A. Leveling Assembly
IMT 539
B. Fix Leveling Assy.
MF



A. Leveling Assembly
URSUS
B. Leveling Assembly




Hitch Balls
(Internal & External Threads)



Top Link Ends Complete



Lower Link Weld on Ends
Cat 1, 2, 3 & 4



A. Top Link Balls
B. Lower Link Balls
Cat 1, 2, 3



Guide Cone Balls
Cat 1, 2/3, 3




Stabilizer Chain Assembly



Stabilizer Chain Assembly



Forged and Sheet Shackles



U-Bolts (Round & Square)
Size : M6 to M20



A. Silencer Clamps
B. U-Bolt with Plate & Nuts



Draw Bars
Size : Cat 1, 2, 3



Lower Link Arms
Size : Cat 1, 2, 3

Tractor Linkage Parts



3 Point Linkage Kit
Complete & Brackets
and Connectors



A. Kubota Type Bracket
B. Iseki Type Bracket



Yanmar Type Bracket



Kubota Type Base Bracket



Kubota Type Connector




Drought Connector



Harrow Disc
with Export packing



Fuel Brass Tee



A. Mid Links
B. Quick Links



Top & Side Wind Jacks



Bushes



Benjo Bolts / Oil Bolts



Clives Hooks



Drawbar & Straight
Clives Hooks



Chain Shackle &
Twisted Clives



Sheet Metal Components

Hardware & Fasteners



Bolts
Half Thread / Full Thread
According to All DIN Standards




A. Hex Nuts B. Check Nuts
C. Long Nuts D. Nylon Insert Nuts
According to All DIN Standards



Washers Flat
(M.S., Copper, Aluminium)
Spring Washers
According to All DIN Standards



Castle Nuts & Flange Nuts
According to All DIN Standards



A. Springs
B. Channel Nuts
According to All DIN Standards



Studs with Nut & Washer
According to All DIN Standards




Eye Bolts & J-Hooks
According to All DIN Standards




Lifting Eye Bolts
According to All DIN Standards




Split Pins
According to All DIN Standards



Drop Lock Assembly
Size M8 to M12




O-Rings & D-Rings
According to All DIN Standards



A. Hose Clamp
B. S-Hook



Beam Clamps
Size : M8 to M16



A. Wire Rope Clamps
B. Wire Rope Thimbles
According to All DIN Standards



Turn Buckles
According to All DIN Standards



Threaded Bars
According to All DIN Standards

Lubrication Products



Fluid Transfer Pump



Rotary Barrel Pump



Grease Gun Pipe
Fuel & Pressure Pipes,
Benjo & Unions



Oil Cans & Plastic Oil Cans



Portable Fluid Pump



Grease Guns



Oil cans



Grease Nipples

Packaging



Blister Packing
Also Available

All types Packings are available
According to customers
requirements.

TECHNOMECH IMPEX

Mfrs. & Exporters Of: All Types Of Tractor Linkage Parts, Fasteners & Engineering Goods

A-12, Premier Industrial Complex, Nichi Mangli,
Chandigarh Road, Ludhiana-141010 Punjab (INDIA)

Ph.: +91-161-6546002 (Mobile: +91-93160-77896, +91-94174-96998)

E-mail: bhsaini@yahoo.com ; info@technomechimpex.com
sales@technomechimpex.com www.technomechimpex.com